


V-PERGOLA
في بيرجولا

TECHNICAL SHEET

Folding Glass

Technical data: profiles, accessories and specifications



V-PERGOLA
في بيرجولا

Folding Glass

Glass panels fold against one another and park at the side of the opening, clearing the full width of the facade. Manual operation on stainless-steel wheels.

- Opens the full width of the facade
- Chrome-plated stainless-steel wheels with double bearings
- Number of panels to suit the opening width

Glass

Tempered 6 – 10 mm

No. of panels

Up to 20

Panel height

Up to 3 m

V-PERGOLA
في بيرجولا

Folding Glass



V-PERGOLA
في بيرجولا

TECHNICAL SHEET

Folding Glass — Specifications



Facade with profiles, opening handle and corner profiles · Elevation & profiles

Glass
Tempered 6, 8 or 10 mm

Max. panel width
700 mm

Max. panel height
3000 mm

Max. number of panels
20 panels

Movable walls with parking station
10 mm glass · 1200 × 4000 mm · up to 16 panels

Seal
Magnetic, clear or aluminium

Configuration angles
90° · 135° · 155°


Rail
Top-hung · bottom track surface-mounted or recessed

Wheels
Chrome-plated stainless steel, double bearings

Operation
Manual

TECHNICAL SHEET

Folding Glass — System Components



V-PERGOLA

ڤي بيرجولا

Let's start with your space

Send us a photo of the space, its dimensions and how you use it, and we will recommend the right system.

vpergola-ksa.com info@vpergola-ksa.com